

NUTRON[®]

POWER CONTROL EQUIPMENTS

Specially Designed For
Personal & Commercial Use

Product
Catalogue



BLULAMI[®]

HOT ROLL / POUCH LAMINATOR | PVC CARD CUTTER

*Quality is not a matter of chance...
...we assure it.*

Deals in
wide Range of :

**Power Control Equipments
& Best Quality Laminator**

AUTOMATIC VOLTAGE STABILIZER

Micro Controlled electronic circuit for increased reliability, easier servicing. High quality transformer ensures less heating and enhanced life of Voltage Stabilizer. Display voltmeter, continuously indicating output Voltage. Fully automatic. Requires no routine maintenance. The Stabilizer with its superior circuit design consumes lesser power compared to other brands. As provided in tests carried out under laboratory conditions.



Capacity	Input Voltage Range	Output Voltage Range	Amps.	Application
0.5 KVA	170V-270V 140V-280V 90V-280V	200V-240V	2.0Amps.	Refrigerators upto 300 Liters:
2.0 KVA	170V-270V 140V-280V 90V-280V	200V-240V	8.0Amps.	Photocopiers, Water Coolers Bottle Coolers, Deep Freezers
3.0 KVA	170V-270V 140V-280V 90V-280V	200V-240V	12.0Amps.	1 ton Air conditioners : Water Coolers, Refrigeration and Air Conditioning Appliances.
4.0 KVA	170V-270V 140V-280V 90V-280V	200V-240V	16.0Amps.	1.5 ton Air Conditioners, Refrigeration & Air Conditioning Appliances incorporating upto 2.5 HP Compressor.
5.0 KVA	170V-270V 140V-280V 90V-280V	200V-240V	20.0Amps.	2 ton Air Conditioners, Refrigeration & Air Conditioning Appliances incorporating 3-5 HP Compressor.

Available in 220V Output and 110 V Output

FULL HOUSE STABILIZER

Micro Controlled electronic circuit for increased reliability, easier servicing. High quality transformer ensures less heating and enhanced life of Voltage Stabilizer. Display voltmeter, continuously indicating output Voltage with by Pass Switch. Fully automatic. Requires no routine maintenance. The Stabilizer with its superior circuit design consumes lesser power compared to other brands. As provided in tests carried out under laboratory conditions.



AUTOMATIC WALL MOUNTED VOLTAGE STABILIZER

Micro Controlled electronic circuit for increased reliability, easier servicing. High quality transformer ensures less heating and enhanced life of Voltage Stabilizer. Display voltmeter, continuously indicating output Voltage. **Fully automatic & Wall Mounted.** Requires no routine maintenance. The Stabilizer with its superior circuit design consumes lesser power compared to other brands. As provided in tests carried out under laboratory conditions.



Capacity	Input Voltage Range	Output Voltage Range	Amps.	Application
3.0 KVA	170V-270V 140V-280V 90V-280V	200V-240V	12.0Amps.	1 ton Air conditioners : Water Coolers, Refrigeration and Air Conditioning Appliances.
4.0 KVA	170V-270V 140V-280V 90V-280V	200V-240V	16.0Amps.	1.5 ton Air Conditioners, Refrigeration & Air Conditioning Appliances incorporating upto 2.5 HP Compressor.
5.0 KVA	170V-270V 140V-280V 90V-280V	200V-240V	20.0Amps.	2 ton Air Conditioners, Refrigeration & Air Conditioning Appliances incorporating 3-5 HP Compressor.

STEP DOWN

SPECIFICATION :

Input Voltage : **220 VAC**

Output Voltage : **110 VAC**

Used with Electronic Equipment which is operate with 110 VAC for Photo Copiers.



CAPACITY	Used in Photocopiers which is operate with 110VAC
2 KVA	Upto 8 Amp.
3 KVA	Upto 12 Amp.
4 KVA	Upto 16 Amp.
5 KVA	Upto 20 Amp.

LAMINATOR



FOR OFFICE & HOME

320 B



Model	: 320 B
Dimension (L x W x H)	: 500 x 200 x 110 (mm)
Max. laminating width	: 330 mm
Laminating Speed	: 650 mm
Operating Temperature	: 80°-150°C
Driving Motor	: AC Geared Motor
Heating System	: Isinglass Heating
Power Consumption	: 560W



FOR OFFICE & HOME

EXCEL 12



Model	: EXCEL 12
Dimension (L x W x H)	: 550 x 190 x 160 (mm)
Max. laminating width	: 330 mm
Laminating Speed	: 650 mm
Operating Temperature	: 80°-180°C
Driving Motor	: AC Geared Motor
Heating System	: Isinglass Heating
Power Consumption	: 700W

LAMINATOR



FOR OFFICE & HOME

ECO 12



Model	: ECO 12
Dimension (L x W x H)	: 500 x 195 x 125 (mm)
Max. laminating width	: 330 mm
Laminating Speed	: 410 mm
Operating Temperature	: 80°-150°C
Driving Motor	: AC Geared Motor
Heating System	: Isinglass Heating
Power Consumption	: 500W




FOR OFFICE & HOME

BLE 12



Model	: BLE 12
Dimension (L x W x H)	: 465 x 176 x 160 (mm)
Max. laminating width	: 330 mm
Laminating Speed	: 410 mm
Operating Temperature	: 80°-150°C
Driving Motor	: AC Geared Motor
Heating System	: Isinglass Heating
Power Consumption	: 500W

LAMINATOR



FOR OFFICE & HOME
460 A

A2

Model : **460 A**
Dimension (L x W x H) : **780 x 280 x 155 (mm)**
Max. laminating width : **460 mm**
Laminating Speed : **650 mm**
Operating Temperature : **80°-180°C**
Driving Motor : **AC Geared Motor**
Heating System : **Isinglass Heating**
Power Consumption : **700W**



FOR OFFICE & HOME
LM 360

A3

Model : **LM 360**
Dimension (L x W x H) : **70 x 54 x 44 (cm)**
Max. laminating width : **340 mm**
Laminating Speed : **3000mm/min**
Operating Temperature : **60°-160°C**
Driving Motor : **DC Motor**
Power Consumption : **650W**

LAMINATOR



FOR OFFICE & HOME

A-330



Model	: A-330 (Plastic ABS)
Dimension (L x W x H)	: 450 x 150 x 80 (mm)
Max. laminating width	: 330 mm
Laminating Speed	: 300 mm/min
Operating Temperature	: 80°-130°C
Driving Motor	: AC Geared Motor
Heating System	: Mica Element
Power Consumption	: 400W



FOR OFFICE & HOME

A-330 S



Model	: A-330 S
Dimension (L x W x H)	: 450 x 150 x 95 (mm)
Max. laminating width	: 330 mm
Laminating Speed	: 300 mm/min.
Operating Temperature	: 80°-130°C
Driving Motor	: AC Geared Motor
Heating System	: Mica Element
Power Consumption	: 400W

SPIRAL MACHINE



- Easy Installation
- Low Maintenance
- 40 Whole can be Punched at one time
- Capacity to Bind 14 to 16 Sheets of 70 GSM
- Attractive Metal Body

TROLLEY FOR PHOTOCOPIER MACHINES



- Powder Coated
- Specially Designed for Photocopier Machines
- Heavy Duty Wheels
- 22G CRC Sheet

PVC CARD CUTTER

Model : NU 001

Measurement : 450 x 300 x 410mm

Net Weight : 5 kg

Gross Weight : 5.2 kg

Cutting Size :

21 x 58 mm

28 x 54 mm

54 x 86 mm

70 x 100 mm



NUTRON ELECTRONICS (INDIA)

Mfrs. of : VOLTAGE STABILIZERS, LAMINATION MACHINE, SPIRAL BINDER

Factory : A-156/A-4, Tronica City Industrial Area, Loni, Ghaziabad U.P. - 201 102

Phone : 9811119678, 9311119678

Web : www.nutronelectronics.com • **Email :** info@nutronelectronics.com, bbkharbanda1960@gmail.com